Plant Number:
 172352
 Rego Number
 U82371

 Description
 Arrow Board
 Job Number
 928838

		Checked		Comments
	Pass	Fail	Replaced	Comments
Safety Chain				
Secure to trailer.	>			
In good working order.	✓			
Check for cracks, rust, damage, bending, excessive wear	✓			
Shackles		I		
Correct load rating.	✓			
Council lead artis	✓			
Correct load rating. Secure to trailer.	<u> </u>			
Grease (if required).	· /			
Groupe (in required).		<u>I</u>		
Trailer Light Socket				
Fitted with socket and cover present.	✓			
Jockey Wheel				
Handle.	>			
Thread.	✓			
Wheel.	V			
Grease (if required).	✓			
Draw Bar				
Check for structural integrity.	V			
Check all welds.	✓			
_				
Tyres	V			
Tread depth (wear bars should not be worn).	· ·			
Side wall damage/cracking. Irregular wear pattern.	V			
	✓			
Air pressure to 210kPa (30psi) for GVM up to 750kg, 300kPa (40psi) for GVM up to 1500kg, 320kPa (45psi) for GVM greater than 1500kg.	*			
Valve.				
Spare Tyre.	N/A			
Rims				
Wheel nuts secure and torqued ½" wheel studs to 100 ft-lbs or 135nm.	~			
White Halo decare and torqued 72 White I stade to 100 K abo of 100 km.				
Bearings				
Remove and replace inner and outer bearings, cones, seals and retainer	✓			
rings.	·			
Pack hubs and bearings with grease.	*	<u> </u>	<u> </u>	 <u>I</u>
Lights				
Check lights using vehicle or light test box.	✓			
Wiring.	· /			
Connection.	√			
Reflectors.	✓			
Springs				
Correct load rating.	>			
Springs fully intact.	✓			
Leaves, correct number of leaves.	~			
Spring cluster, securely fastened.	/			
Hangers, Securely fastened.	V			
Shackles, bolts fitted with locking nuts.	V			
Bushes, bolts sitting central.	/		-	
Bolts and centre bolts.	✓ ✓			
Check for excessive play.	٧	<u> </u>		

Plant Number:	Rego Number				
Description	Job Number				
	Checked				
	Pass	Fail	Replaced		Comments
Torsion Bar (if fitted)	1 433	1 an	Replaceu		
Secure to chassis.	V				
Correct load rating.	· ✓				
Correct load rating.	<u> </u>				
Axle					
Correct alignment.	✓				
U-Bolts.	/				
Brakes					
Brake actuator.	✓				
Hand brake assembly.	✓				
Reversing lock.	✓				
Brake fluid, check level.	N/A				
Brake pads.	~				
Rotors.	V				
Brake lines and connections.	✓				
Callipers.	✓				
Hoses.	N/A				
Copper.	✓				
Pins and bolts.	✓				
Check for leaks.	N/A				
Grease moving components.	✓				
Check for test and operation.	✓				
	l .				
Mountings and Bolts					
Throughout trailer check all mountings, nuts and bolts and minor parts not	✓				
otherwise specified.					<u> </u>
Number plate					
Present.	V				
Correct Placement.	<i>\</i>				
Clearly visible.	✓				
			1	1	1
Mud Flaps					
Standard Fitted Present & in good order.	~				
					·

Plant Number:	_	Rego Numb	er		_
Description	=.	Job Number	r		_
Ramps & Gates					
Hinges, latches and the like	N/A				
Frame work	N/A				
Mesh, metal or other panelling	N/A				
Springs on tailgates/ramps	N/A				
	•	•		•	
Flooring (if applicable)					
Straight	N/A				
Drain holes	N/A				
Trailer Sides & Box Bodies					
Hinges, latches and the like	V				
framework	✓				
Mesh, metal or other panelling	V				
Compression in gas struts	V				
Placards & Decals					
Legible (safe towing, max load other decals as required as displayed in handout	✓				
Looks professional and smart	✓				
NOTES / COMMENTS					
Work Completed by: Daniel Venner			•		
Signed: Daniel Venner					
31/7/23					

Date: